

M Á qx²"unqx^a

M Á qx²"mq o rgvgpekg."nadrtgf o gvgx² kompetencie, rctvkekrctvpg."kpvgtcmvpg." | ^aflkvmqx²"x{w qxcekg"ogv»f{."w gpkg"x uÁxkunquvkcej."okmtqx{w qxcekg"cpcn | {."rtqlgmvqx²"x{w qxcpkg."kpvgitqxcp²"vgocvkem²"x{w qxcpkglx{uqmq ghgmvpg"wgpkg.

Anotácia

Na ghgmvpg"quxqlqxcpkg"uk"m Á qx ej"mq o rgvgpekl

-XQF

5. —tqxg " c

11 111111

Mg flg" pggzkuvwIÀ" fxclc" tqxpcm" flkcek." lg" rqvtgdp²" | cdg| rg k ." cd{" o q|qi" mcflf²jq" flkcmc"

Rq cu"dnqmqxgl" x w d{"uc"kpvgitwlÀ" rredmety

- flkcm"tgc iwl g"pc"qv^a | m{"w kvg c.
- flkcm"uc"u^a o ."kpkekcvxpg"qdtcekc"pc"w kvg c.
- ticho v triede.

Vgpvq"r½xqfp u{uv² o "pgum½t" Hncpfgtu" | tgfwmqxcn"ó vznikqn"u{uv² o "QUVTKE J 0

Rqwflkv² vzorce:

A + Q	Q3 + Q4	A
Id = $\begin{pmatrix} \hat{0} & \hat{0} & \hat{0} & \hat{0} & \hat{0} \end{pmatrix}$	Ikf = $\begin{pmatrix} \hat{0} & \hat{0} & \hat{0} & \hat{0} & \hat{0} \end{pmatrix}$	Im = $\begin{pmatrix} \hat{0} & \hat{0} \end{pmatrix}$
T + R		

- Xqrtgf"uc"qdq|p^aok "u rtquvtgf¶o."x mvqtq o "uc"gzmwt|kc"dwfg"mqpc 0
- Rqftqdpq" rtgumÀo c " x-gym{ " oqflpquvk" c rqf o kgpm{ " x| fgn^axcekgjq" c x ejqxp²jq" vplyvu.
- cuvq"lg" rqvtgdp²" q wo qflpgpkg" gzmwt|kg" rqflkcfc " ó qunqxk " nkuvq o 0" *V mc"uc"vq" p^ax-vgx{ "kp-vkvÀekg."x tqdp²jq" rqfpkmw."rg cflp²jq"Àuvcxw"c podobpg0+"M"flkcfquvk" lg"pkgmngf{ "rqvtgdp²"rtkrqlk "cl"cdgegfp " |q|pc o "flkcmqx0

mqtwpqxcp¶" lgfgp^auvk" mt^ank" c" qug o " mt^a qxum ej" o cpflgnkgm0" X-gvek" | " tqfw" Jcdudwtiqxeqx" c"
lgfpqw" | q"urqo¶pcp ej"mt^a qx"dqnc"cl"flgpc."mt^a qxp^a"O^atkc"Vgt²|kc0"
Tristo rokov ó od 3758"dqnc"Dtcvkunccx"jncxp o"c mqtwpqxc p o"oguvq o "c u¶fnq o "
mt^a qxumgl"mq o qt{."mt^a qxum²jq"okguvqftflkg c"c

Rq o½em{<

W gdpkeg" fglgrkuw." x{rnpqp²" rtceqxp²" nkuv{" u crnkmc p ok" Ånqjco k." mvqt²" dqpk" uÅ cu qw" gzmwt|kg." qfdqtp^a" fglgrkup^a" nkvgtcvÅtc." qdt^a|m{" Dtcvkuncx{" 380" uvqtq kc." rcrkgtg." hctgdp²" egtw|m{"."xqumqxm{."ocipgvqh»p."ocrc."fglgrkup²"cvncu{."ngrkceg"rcrkgtkm{"u ¶uncok"3"- 6

O {-nkpmqx^a" o cr c ó program bloku:

Kp-vtwmekc" w kvg m{" |pgnc<" Rtk" ncxkeg" q|pc gp²" ¶unc ok" 3." 4." 5." 6." 7." 8." uc" uÅuvtgfkc" x-gym{"

5. $\mathbf{Pcr} \Vdash_{\mathbb{M}} g$

5. Rqr¶-vg

2. F½mncfp²"rtg ¶vcpkg"c"cpcl |c"lgfpqvnkx ej"crnkmc p ej"Ànqj" | Dwt| {"crnkmc p ej"Ànqj"pc"

Facilitovanie bloku:

Postup:

- Fqdt "fg ."xkvcl.
- Rtgr¶-uk" o crw"o {ung.
-

UKVP *f.*"F0"422;0"